

**Serie | 8, warming drawer, 14 cm,
Stainless steel
BIC630NS1M**



The multifunctional warming drawer for the 14 cm niche: for pre-heating plates, keeping food warm and low temperature cooking.

- **Push-pull mechanism:** easy opening and closing thanks to a practical spring mechanism.
- **Cleaning convenience:** easy-to-clean hotplate made of tempered glass.

Technical Data

Built-in / Free-standing :	Built-in
Color / Material Front :	Stainless steel
Maximum number of plates :	12
Maximum number of espresso cups :	64
Dimensions :	140 x 594 x 548
Dimensions of the packed product (HxWxD) (mm) :	210 x 640 x 660
Required niche size for installation (HxWxD) :	140 x 560 x 550
:	0.810
Electrical connection rating (W) :	810
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	60; 50
Plug type :	GB plug
Color / Material Front :	Stainless steel
Approval certificates :	CE, G-Mark, VDE
Required cutout/niche size for installation (in) :	x x
Appliance Dimensions (h x w x d) (in) :	x x
Dimensions of the packed product (in) :	8.26 x 25.19 x 25.98
Net weight (lbs) :	35.000
Gross weight (lbs) :	38.000
Length electrical supply cord (cm) :	150
Required niche size for installation (HxWxD) :	140 x 560 x 550
Dimensions :	140 x 594 x 548
Dimensions of the packed product (HxWxD) (mm) :	210 x 640 x 660
Net weight (kg) :	15.677
Gross weight (kg) :	17.4



4 242002 977607

**Serie | 8, warming drawer, 14 cm, Stainless steel
BIC630NS1M**

The multifunctional warming drawer for the 14 cm niche: for pre-heating plates, keeping food warm and low temperature cooking.

- Easy to clean heated ceramic glass base
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)

Comfort:

- Loading up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC

Technical Info:

- Length of mains cable: 150 cm
- Appliance dimension (hxwxd): 140 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 140 mm x 560 mm - 568 mm x 550 mm

Serie | 8, warming drawer, 14 cm, Stainless steel
BIC630NS1M

