

Serie | 8, Built-In Fully Automatic Coffee Machine, Stainless steel CTL636ES1



Included accessories

9 x assembly screws, 1 x scoop, 1 x test strip, 1 x milk container (insulated), 1 x connection hose for milk frother, 1 x milk pipe

The built-in coffee center with OneTouch Function: offers great variety and convenience.

- **AromaDouble Shot:** Extra-strong coffee with less bitterness thanks to two grinding and brewing processes
- CeramDrive: High-quality grinder made from non-wearing ceramic
- Intelligent Heater inside: Perfect brewing temperature and full aroma with the SensoFlow System
- OneTouch DoubleCup: Your choice of espresso or milk drinks with a click even two cups at once.

Technical Data

Built-in / Free-standing : Built-in Frothing nozzle : No Display : No Water protection system : no Portion sizes : All cups Dimensions : 455 x 594 x 375 Dimensions of the packed product (HxWxD) (mm) :

550 x 480 x 670

Required niche size for installation (HxWxD): $449 \times 558 \times 356$ Hot water spout: No Standby function: No Pump pressure (bar): 19 Simultaneous preparation of 2 cups: Yes

Included accessories:

9 x assembly screws, 1 x scoop, 1 x test strip, 1 x milk container (insulated), 1 x connection hose for milk frother, 1 x milk pipe Optional accessories: TCZ7003, TCZ8001, TCZ8001A,

TCZ8002, TCZ8002A, TCZ8004, TCZ8004A, TCZ8009N Electrical connection rating (W): 1600 Current (A): 10 Voltage (V): 220-240 Frequency (Hz): 50/60 Plug type: Gardy plug w/ earthing Product group: Built-in coffee machine Bosch Product name / Commercial code : CTL636ES1 Stainless steel Main colour of product : Fully automatic Typology:

: Australia

Standards, CE, Eurasian, G-Mark, Morocco, Ukraine, VDE Length electrical supply cord (cm): 170.0 Reccommended height for installation (mm): 449

Dimensions : 455 x 594 x 375

Dimensions of the packed product (HxWxD) (mm):

550 x 480 x 670

19.726

19.726

49

Gross weight (kg):

Capacity water container:

2.4





Serie | 8, Built-In Fully Automatic Coffee Machine, Stainless steel CTL636ES1

The built-in coffee center with OneTouch Function: offers great variety and convenience.

Flavour

- Innovative heating system "senso flow system"
- One-touch function for Cappuccino, Espresso Macchiato,
 Latte Macchiato, Caffe Latte, personalised milk mix beverage
- aromaDouble Shot Extra strong coffee without compromise in aroma
- Beverage temperature adjustable individually: Coffee: 3 grades, Hot water: 4 grades
- optional Brita water filter: Reduces the lime content of water and filters substances affecting smell and taste

Convenience

- TFT display with interactive menu
- **-** 20-250 ml
- Coffee outlet yesheight-adjustable: Even 15cm high Latte Macchiato glasses fit underneath
- Cappuccino: Prepare two cups simultaneously for all coffee and milk specialities
- Removable 2.4 litre water tank
- Early warning when bean container or water tank are close to empty
- Flexible milk solution: Decide for yourself if you prefer connecting the yes milk container or using any other container, e.g. a milk carton
- Short user manual always at hand inside appliance

Performance

- High-value ceramic grinding unit "silent ceram drive"
- yes: The grinding unit automatically adjusts to bean variety
- One-touch coffee milk specialities with especially fine-pored milk froth thanks to an innovative milk frother
- Yes and Yes available separately
- Reduced heating-up time: fastest first cup!
- Water pump with 19 bar pressure
- Separate container for pre-grounded coffee
- 15.000 cup warranty: Consistently high appliance quality from the first cup to the 15,000th (valid for non-commercial use within 24 months)

Hygiene

- Removable brewing unit: Easy and hygienic cleaning under running water
- steam blast: Fully-automatic steam cleaning of the milk system after every beverage
- All milk nozzle parts are easily removable, separable, easy to clean & dishwasher-proof
- yes
- Automatic quick rinse programme when switched on or off
- Removable drip dish including container for coffee grounds
- Fully automatic descaling and cleaning program yes
- Display of remaining cups before Decalcification, Cleaning, Change of water filter

Miscellaneous


- Containers for water, milk and coffee beans are easily accessible but hidden behind a door, so the kitchen always looks clean
- Bean container with aroma preserving lid for up to 500grams
- Adjustable grind settings (multilevel)
- Different display languages available
- Child-proof lock: key lock preventing unintended brewing cycle
- Wattage: 1600 W


Accessories

- Isolated milk container with thermally insulated aluminium housing (0.7 I volume)
- Included accessories: scoop, test strip, connection hose for milk frother, milk container (insulated), assembly screws
- Separately available accessories: cleaning tablets (TZ60001), descaling tablets (TCZ8002), BRITA Intenza water filter (TCZ7003), care set for fully-automatic espresso makers (TCZ8004), insulated milk container (TCZ8009N)




Serie | 8, Built-In Fully Automatic Coffee Machine, Stainless steel CTL636ES1






Bean and water containers are removed from the front.
Recommended installation height 95-145 cm. measurements in mm



Bean and water containers are removed from the front. Recommended installation height 95-145 cm. measurements in mm



If using the 92° hinge limiter (spare part no. 00636455), the minimum distance to the wall is only 100 mm. measurements in mm

