

**Serie | 4, wall-mounted cooker hood,
90 cm, Stainless steel
DWB97DM50B**



**Box-design hood: performance and
matching kitchen design bundled in one
hood.**

- **Silent:** maximal extractor performance with little noise
- **TouchSelect control:** quick touch-control selection of desired settings and light.
- Effective extraction of cooking smells with power boost
- **LED-illumination:** The energy-saving lighting provides white and good lighting for the hob area.
- **Intensive speed setting:** removes strong kitchen odours especially quickly and effectively.

Technical Data

Typology :	Chimney
Approval certificates :	CE, G-Mark, VDE
Length electrical supply cord (cm) :	130
Height of the chimney (mm) :	583-912/583-1022
Height of product, without chimney (mm) :	53
Net weight (kg) :	13.624
Type of control :	Electronic
Maximum output air extraction (m ³ /h) :	454
Boost position output recirculating (m ³ /h) :	379.0
Maximum output recirculating air (m ³ /h) :	324
Boost position air extraction (m ³ /h) :	739
Number of lights :	2
Noise level (dB) :	65
Diameter of air outlet (mm) :	120 / 150
Grease filter material :	Washable stainless steel
Odour filter :	No
Operating Mode :	Convertible
Optional accessories :	DHZ1225, DHZ1235, DHZ9550, DHZ9551, DWZ0DX0A0, DWZ0DX0U0, DWZ0XX0J0, DWZ1DX1I6, DZZ1XX1B6, DWZ1FX5C6, DWZ1FX5D1, DZZ0XX0P0
Type of lamps used :	LED
Grease filter type :	Kassette
Connection Rating (W) :	255
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Plug type :	GB plug
Installation typology :	Wall-mounted
Material body :	Stainless steel
Approval certificates :	CE, G-Mark, VDE
Plug type :	GB plug
Dimensions of the product, with chimney (if exists) (in) :	/ x x
Dimensions of the packed product (in) :	19.29 x 25.59 x 40.55
Net weight (lbs) :	30.000
Gross weight (lbs) :	42.000
Motor location :	Integrated motor in hood chimney
No-return airflow flap :	No
Length electrical supply cord (cm) :	130
Dimensions of the product, with chimney (if exists) (mm) :	635-1075 MM x 900.0 x 500.0
Dimensions of the packed product (HxWxD) (mm) :	490 x 650 x 1030
Net weight (kg) :	13.624
Gross weight (kg) :	19.2



4 242005 053025

Serie | 4, wall-mounted cooker hood, 90 cm, Stainless steel DWB97DM50B

Box-design hood: performance and matching kitchen design bundled in one hood.

- DWB97DM50B
- DWB97DM50B

Variant:

Design:

- Appliance colour: stainless steel
- 90 cm Chimney hood
- Wall mounted hood
- Box brand design - stainless steel

Comfort:

- Suitable for ducted or re-circulated extraction
- For recirculated extraction or CleanAir recirculation kit (accessory) needed
- TouchControl for extractor speeds and light
- 3 speed + intensive operation via TouchControl
- Twin channel high performance fan motor
- Metal grease filter, dishwasher safe

Environment and safety:

- Energy Efficiency Class: B*
- Average Energy Consumption: 62.5 kWh/year*
- Blower Efficiency Class: B*
- Lighting Efficiency Class: A*
- Grease Filtering Efficiency Class: B*

Technical information:

- Power rating: 255 W
- Noise min./max. Normal Level: 52/65 dB*
- Ducted extraction rate according to DIN/EN 61591max. 453 m³/h
- Maximum extraction rate exhaust air 453 m³/h according to EN 61591
- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 65 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure)
- Max. extraction rate: 739 m³/h
- Extraction rate in recirculation mode: Max. normal use: 324 m³/h
- Noise level in recirculation mode: Max. normal use: 74 dB(A) re 1 pW (61 dB(A) re 20 µPa sound pressure)
- 2 x 1,5W LED
- Light Intensity: 214 lux
- Colour Temperature: 3500 K

Measures:

- Electrical cable length 1.3 m
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Dimensions exhaust air (HxWxD): 635-965 x 900 x 500 mm
- Dimensions recirculating (HxWxD): 635-1075 x 900 x 500 mm
- Dimensions recirculating with CleanAir module (HxWxD): 703 x 900 x 500 mm - mounting with outer chimney 833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Dimensions recirculating with cleanAir module (HxWxD); 703 x 900 x 500 mm - mounting with outer chimney 833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Dimensions recirculating with CleanAir module (HxWxD): 703 x 900 x 500 mm - mounting with outer chimney 833-1163 x 900 x 500 mm - mounting with telescopic chimney

* In accordance with the EU-Regulation No 65/2014

**Serie | 4, wall-mounted cooker hood, 90 cm,
Stainless steel
DWB97DM50B**

