

**Serie | 6, free-standing electric  
cooker, Width 60 cm  
HKS59A20M**



**The freestanding cooker with glass-ceramic  
radiant cooktop and 3D hotair: achieve  
perfect baking and roasting results on  
multiple levels simultaneously.**

- **LCD display control, white:** easy-to-use thanks to direct access to additional functions.
- **Pop-out controls:** for an easy to clean front.
- **EcoClean Direct:** almost no cleaning is necessary thanks to a special coating of the rear wall that automatically absorbs grime.

**Technical Data**

Built-in / Free-standing :	Free-standing
Dimensions :	850 x 600 x 600
Length electrical supply cord (cm) :	120
Net weight (kg) :	49.462
Gross weight (kg) :	53.2
Cooking method :	
Bottom heat, Conventional heat, Defrost, Full width variable grill, Hot Air, Hotair gentle, Hot air grilling, Pizza setting	
Integrated Cleaning system :	Catalytic partial, Hydrolytic
Broil Element Wattages cavity 1 (W) :	2800
Power of heating element (kW) :	1.8
Power of 3rd heating element (kW) :	2.4
Energy efficiency rating :	A
Energy consumption per cycle conventional (2010/30/EC) :	0.98
Energy consumption per cycle forced air convection (2010/30/EC) :	0.79
Energy efficiency index (2010/30/EC) :	95.2
Connection Rating (W) :	10900
Current (A) :	3*16
Voltage (V) :	220-240
Frequency (Hz) :	60; 50
Plug type :	no plug
Connecting cable type :	
1-phase, 2-phase, 3-phase, neutral conductor	
Energy input :	Electric
Approval certificates :	G-Mark
Appliance Dimensions (h x w x d) (in) :	x x
Gross weight (lbs) :	117.000
Length electrical supply cord (cm) :	120
Dimensions :	850 x 600 x 600
Dimensions of the packed product (HxWxD) (mm) :	960 x 675 x 670



4 242005 043958

**Serie | 6, free-standing electric cooker,  
Width 60 cm  
HKS59A20M**

**The freestanding cooker with glass-ceramic  
radiant cooktop and 3D hotair: achieve  
perfect baking and roasting results on  
multiple levels simultaneously.**

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 10.9 KW

**Dimensions:**

- Appliance dimension (hxwx): 850 mm x 600 mm x 600 mm
- Adjustable feet

**Cooktop:**

- front left: Standard zone 1.8 KW
- rear left: Roaster zone, Dual-circuit cooking zone 2.4 KW
- rear right: Standard zone 1.2 KW
- front right: Dual-circuit cooking zone 2.2 KW
- 4-fold residual heat display

**Type of oven / heating system:**

- Electric free-standing cooker with 8 heating methods: Hot air, Top/bottom heat, hot air grilling, Pizza setting, Bottom heat, Defrost setting
- Cavity volume: 66 l

**Hook-in racks / rails**

- Shelf support rails
- Telescopic rails retrofittable

**Design:**

- Retractable controls

**Cleaning:**

- EcoClean features: back panel
- Full glass inner door

**Comfort:**

- mechanical
- Electronic clock
- Rapid heating-up
- Halogen interior lighting
- 21cm panel (one rail)

**Accessory:**


- 1 x enamel baking tray, 1 x universal pan, 1 x grid

**Environment and Safety:**


- Child lock
- Energy efficiency rating (acc. EU Nr. 65/2014): A Energy consumption per cycle in conventional mode: 0.98 kWh Energy consumption per cycle in fan-forced convection mode: 0.79 kWh Number of cavities: 1 Heat source: electrical Cavity volume: 66 l

**Serie | 6, free-standing electric cooker,  
Width 60 cm  
HKS59A20M**

---



measurements in mm



measurements in mm