

Serie | 4, free-standing fridge, 186 x 60 cm, Inox-look KSV36VL3PG



The refrigerator with A++ rating and CrisperBox: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- **VitaFresh:** keeps fresh food crisp for longer – thanks to extra low temperatures for fish and meat & adjustable humidity for fruit and vegetables
- **LED light:** illuminates the refrigerator evenly without glare, lasts for the life of the appliance.
- **EasyAccess Shelf:** retractable glass shelf for convenient loading and unloading and a perfect view.
- **FreshSense:** Internal sensors monitor the internal and external temperatures and adjust to provide longer freshness.
- **SuperCooling:** cools new food placed inside faster, thus protecting already cooled food.

Technical Data

Built-in / Free-standing :	Free-standing
Number of compressors :	1
Number of independent cooling systems :	1
Width of the appliance :	600
Height (mm) :	1860
Depth of the product :	650
Net weight (kg) :	67.837
Door panel options :	Not possible
Door hinge :	Left reversible
Number of Adjustable Shelves in fridge compartment :	5
Shelves for Bottles :	Yes
Frost free system :	No
Interior ventilator :	Yes
Reversible Door Hinge :	Yes
Length electrical supply cord (cm) :	230
Noise level (dB) :	39
Multi-Flow Air Tower :	No
Economy setting :	No
Cold technology :	1 compressor/1 cold circuit
Fast cooling switch :	Yes
Temperature Controlled Drawer :	No
Humidity Control Drawer :	No
Number of Door Bins - Refrigerator :	4
Door bin adjustability - Refrigerator :	No
Tilt-out door bins in fridge :	No
Gallon Storage :	Yes
Number of Gallon storage :	2
No. of shelves in fridge :	7
Motorized Shelf :	No
Material of the shelves :	Glas, plastic, support grid, wood
Door opened indicator freezer :	No
Connection Rating (W) :	90
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50
Approval certificates :	CE, G-Mark, VDE
Main colour of product :	Inox-look
Door panel options :	Not possible
Installation typology :	N/A
Noise level (dB) :	39
Energy Star Qualified :	No
Plug type :	GB plug
Required cutout/niche size for installation (in) :	x x
Dimensions of the packed product (in) :	75.98 x 25.98 x 30.31
Net weight (lbs) :	150.000
Gross weight (lbs) :	165.000



Serie | 4, free-standing fridge, 186 x 60 cm, Inox-look KSV36VL3PG

The refrigerator with A++ rating and CrisperBox: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

Performance and consumption

- Energy Efficiency Class: No
- Total capacity: 348 litres
- Airborne acoustical noise emissions: 39 dB dB(A) re 1 pW

Design

- Door Stainless steel look, side panels Pearl Grey
- alu
- LED interior light LED

Comfort and Safety

- LED electronic control
- Constant temperature by intelligent sensor technology
- Supercool function with automatic deactivation

Fridge Section

- Capacity refrigeration zone: 348 litres
- Active cooling via integrated fan
- Automatic defrost in fridge section
- Bottle rack
- 5 door bins, there of 1x dairy compartment

Freshness System

- 1 vege.cont.w.int.humi.control for fruit and vegetables with humidity slider

Dimensions

- Dimensions: H 186 cm x L 60 cm x D 65 cm
- Gross capacity, total: 348 l
- Gross capacity cooling 348 l

Technical Information

- Door left hinged, reversible Door
- Height adjustable front feet, roles in the back
- door opening angle 90°
- Transportation handles
- Connection load: 90 W
- Rated Voltage 220 - 240 V
- Climate Class SN-T

Accessories

- 3 x egg tray

Country Specific Options

- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Environment and Safety

Dimension and installation

Main Features

**Serie | 4, free-standing fridge, 186 x 60 cm,
Inox-look
KSV36VL3PG**

	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

a Height
b Width
c Depth with closed door w/o handle and w/o distance part
d Depth of cabinet w/o distance part
e Width with open door w/o handle
f Depth with open door w/o handle w/o distance part

measurements in cm

