


**Serie | 4, wall-mounted cooker hood,
90 cm, clear glass black printed
DWK96AJ60M**



**The wall-mounted chimney hood: mount it
on the wall, giving you complete freedom in
your kitchen planning.**

- **Silent:** maximal extractor performance with little noise
- With exhaust, the air is cleaned by a grease filter and then ducted to the outside which ensures optimal kitchen air quality.
- 3-Speed Power Level Options To Suit Your Cooking Style And Recipes

Technical Data

Typology :	Chimney
Approval certificates :	G-Mark
Length electrical supply cord (cm) :	200
Height of product, without chimney (mm) :	350
Net weight (kg) :	11.864
Type of control :	Electronic
Number of speed settings :	3
Maximum output air extraction (m ³ /h) :	638
Maximum output recirculating air (m ³ /h) :	290
Number of lights :	2
Noise level (dB) :	64
Diameter of air outlet (mm) :	120 / 150
Grease filter material :	Washable aluminium
Odour filter :	No
Operating Mode :	Convertible
Optional accessories :	DWZ0GK0A0
Grease filter type :	Kassette
Connection Rating (W) :	216
Voltage (V) :	220-240
Frequency (Hz) :	50
Plug type :	GB plug
Installation typology :	Wall-mounted
Material body :	Glass, Lacquered
Approval certificates :	G-Mark
Plug type :	GB plug
Dimensions of the product, with chimney (if exists) (in) :	/ x x
Dimensions of the packed product (in) :	17.91 x 27.36 x 17.91
Net weight (lbs) :	26.000
Gross weight (lbs) :	29.000
Motor location :	Integrated motor in hood body
No-return airflow flap :	No
Length electrical supply cord (cm) :	200
Dimensions of the product, with chimney (if exists) (mm) :	x 896.0 x 386.0
Dimensions of the packed product (HxWxD) (mm) :	455 x 695 x 455
Net weight (kg) :	11.864
Gross weight (kg) :	13.3



**Serie | 4, wall-mounted cooker hood, 90 cm,
clear glass black printed
DWK96AJ60M**

**The wall-mounted chimney hood: mount it
on the wall, giving you complete freedom in
your kitchen planning.**

Variant:

Design:

- Wall mounted hood
- 90 cm Chimney hood
- 896 mm width
- black with glass canopy

Comfort:

- Suitable for ducted or re-circulated extraction
- Recirculating kit
- TouchControl with Electronic display
- Electronic via TouchControl with Electronic display
- 3 speeds
- Metal grease filter, dishwasher safe
- Filter cover glass

Environment and safety:


Technical information:

Measures:

- Dimensions exhaust air (HxWxD): 750-1080 x 896 x 386 mm
- Dimensions recirculating (HxWxD): 860-1080 x 896 x 386 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)


**Serie | 4, wall-mounted cooker hood, 90 cm,
clear glass black printed
DWK96AJ60M**

measurements in mm



- A: Exhaust air
- B: Circulated air
- C: Air outlet – slots for exhaust air to be mounted facing down

measurements in mm



- A: Exhaust air outlet
- B: Socket
- C: min. 470 electric / min. 570 gas, from upper edge of pan support

measurements in mm

