

**Serie | 4, free-standing fridge-freezer with freezer at top, 193 x 70 cm, White
KDN56XW30M**



- **EasyAccess Shelf:** retractable glass shelf for convenient loading and unloading and a perfect view.
- **XXL size:** provides much more space for your food.
- MultiAirFlow™ cooling system boosts air circulation for even temperature throughout.
- **LED light:** illuminates the refrigerator evenly without glare, lasts for the life of the appliance.

Technical Data

Built-in / Free-standing :	Free-standing
Number of compressors :	1
Number of independent cooling systems :	2
Width of the appliance :	700
Depth of the product :	800
Net weight (kg) :	89.273
Door panel options :	Not possible
Door hinge :	Other
Number of Adjustable Shelves in fridge compartment :	3
Shelves for Bottles :	Yes
Frost free system :	Fridge and freezer
Interior ventilator :	No
Reversible Door Hinge :	Yes
Length electrical supply cord (cm) :	240
Noise level (dB) :	41
Multi-Flow Air Tower :	Yes
Fast cooling switch :	Yes
Fast freezing switch :	No
Temperature Controlled Drawer :	No
Humidity Control Drawer :	No
Number of Door Bins - Refrigerator :	4
Door bin adjustability - Refrigerator :	No
Tilt-out door bins in fridge :	Yes
Gallon Storage :	Yes
Number of Gallon storage :	1
Motorized Shelf :	No
Door opened indicator freezer :	Yes
Automatic motor-driven ice-maker :	No
Connection Rating (W) :	100
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50
Storage Period in Event of Power Failure (h) :	14
Approval certificates :	CE
Main colour of product :	White
Door panel options :	Not possible
Noise level (dB) :	41
Energy Star Qualified :	No
Approval certificates :	CE
Plug type :	GB plug
Required cutout/niche size for installation (in) :	x x
Dimensions of the packed product (in) :	79.52 x 30.11 x 34.64
Net weight (lbs) :	197.000
Gross weight (lbs) :	212.000

Included accessories

1 x egg tray



Serie | 4, free-standing fridge-freezer with freezer at top, 193 x 70 cm, White KDN56XW30M

Performance and consumption

- Total capacity: 563 litres
- Airborne acoustical noise emissions: 41 dB dB(A) re 1 pW

Design

- Door white, side panels white
- LED with Soft Start in fridge section

Comfort and Safety

- NoFrost
- Freezer Twin LED electronic control, Fridge manually adjustable

Fridge Section

- Multi Airflow-System
- 4 safety glass shelves of which 3 glass plates extendible
- 1 large door shelves

Freshness System

- 1 vege.cont.w.int.humi.control with humidity control - keeps fruit and vegetables fresh!

Freezer Section

- Freezer capacity: 140 litres
- Freezing capacity: 14 kg in 24 hours
- Storage time in power failure: 12 Hours

Dimensions

- Dimensions: H 193 cm x L 70 cm x D 80 cm

Technical Information

- reversible Door
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Rated Voltage 220 - 240 V

Accessories

- 1 x egg tray

Highlights

- Chiller - keeps fish and meat up to 2 x longer fresh!
- LED with Soft Start - longlasting, efficient and perfect illumination!

Country Specific Options

- Gross capacity, total: 563 l
- Gross capacity cooling 423 l
- Gross capacity**** freezer: 140 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.


Environment and Safety

Dimension and installation

Main Features

Serie | 4, free-standing fridge-freezer with freezer at top, 193 x 70 cm, White KDN56XW30M

measurements in mm



Description:

- A Height
- B Width
- C Depth with door closed, without handle
- D Cabinet depth
- E Width with door opened to 90°
- F Depth with door opened
- G Depth with door closed, with handle
- H Air gap for installation in recess or fitted cabinet

Appliance name	A	B	C	D	E	F	G	H
KDN56 (inner handle)	1930	700	800	720	700	1450	800	12
KDN56 (outer handle)	1930	700	800	720	740	1450	840	12