

RANGE	CODE	MODEL	FUNCTION
Refrigerated Cabinets	MACROOOO170	ART7TN	Refrigerated cabinets MI

ITEM


Upright cabinet MI 1 door 700 litres, refrigerator -2+8°C



RANGE	CODE	MODEL	FUNCTION
Refrigerated Cabinets	MACROOOO170	ART7TN	Refrigerated cabinets M1

ITEM

Upright cabinet M1 1 door 700 litres, refrigerator -2+8°C



TECHNICAL SPECIFICATIONS

RANGE:	-2 +8°C		
WIDTH (mm):	770		
DEPTH (mm):	820		
HEIGHT (mm):	2025		
WEIGHT (Kg):	132		
VOLUME (m ³):	1.45		
EL. POWER (kW):	0.2		
VOLTAGE:	VAC230		
FREQUENCY (Hz):	50Hz		
INTERNAL DIM. (mm):	600x682,5x1440(h)		
EXTERNAL MATERIAL:	304		
INTERNAL MATERIAL:	304		
GROSS CAPACITY (L):	600		
OPERATING MODE:	Ventilated		
DOORS:	1 Door		
STANDARD EQUIPMENT:	N° 3 Plastic-Coated Grid 530x650		
DEFROST TYPE:	Automatic by Hot Gas		
REFRIGERANT POWER:	425		
ENERGY CLASS:	B	GAS TYPE:	R290/3
REFRIGERANT QUANTITY (g):	80		
NOISE LEVEL:	49		
ENERGY PER YEAR:	478		
CLIMATE CLASS:	5 40°C-40%		

DESCRIPTION


Stainless steel AISI 304 single-shell structure; scotch-brite external satin finish; 85 mm high density HFC free polyurethane foam insulation (40kg/m³) for the body and 65mm thickness for the door; stainless steel adjustable feet h120/150; cell with rounded internal edges for a perfect cleaning and hygiene; hot gas defrosting and condensation water evaporation; GN 2/1 rislan grids; stainless steel removable racks for grids, no tools needed; lateral air flow; self-closing doors from 100°; patented and tropicalized monobloc refrigerating unit (climatic class 5); lock as standard; standard power supply 230V/50Hz monophasic. Equipped with 3 grids GN 2/1. Refrigerant gas R290. Energy Efficiency class B (478 kWh/year)



RANGE	CODE	MODEL	FUNCTION
Refrigerated Cabinets	MACROOOO170	ART7TN	Refrigerated cabinets M1

ITEM

Upright cabinet M1 1 door 700 litres, refrigerator -2+8°C



INSTALLATION SPECIFICATIONS

(E) Electrical Connection:

VAC230 50Hz

Type of electrical plug:

with Schuko plug and cable

