

**Series 2, wall-mounted cooker hood,  
60 cm, clear glass black printed,  
Black  
DWK63PJ60M**



**Optional accessories**

DWZ1BK6K2 : Chimney extension 400 mm  
 DWZ1BK6Y2 : One-way flap  
 DWZ6BK5E2 : Carbon filter

**The wall-mounted chimney hood: mount it  
on the wall, giving you complete freedom  
in your kitchen planning.**

- Comfort of use.
- **Metal Grease Filter:** cleans the air, captures grease, easy monthly clean-up.
- 3-Speed Power Level Options To Suit Your Cooking Style And Recipes
- 3 Power Levels Allow for Greater Control of Air Circulation
- Converts to Recirculation Mode with Accessory Kit (Separate Purchase Required)

**Technical Data**

Color chimney : Black  
 Typology : Wall-mounted  
 Length electrical supply cord : 150.0 cm  
 Height of product, without chimney : 340 mm  
 Net weight : 11.8 kg  
 Type of control : mechanical  
 Number of speed settings : 3  
 Maximum output air extraction : 360 m<sup>3</sup>/h  
 Maximum output recirculating air : 243 m<sup>3</sup>/h  
 Number of lights : 2  
 Noise level : 64 dB(A) re 1pW  
 Diameter of air outlet : 150 / 120 mm  
 Grease filter material : Washable aluminium  
 Odour filter : No  
 Operating Mode : Convertible  
 Optional accessories : DWZ1BK6K2, DWZ1BK6Y2, DWZ6BK5E2  
 Type of lamps used : LED  
 Grease filter type : Kasette  
 Clean filter reminders : No  
 Fuse protection : KSA A  
 Voltage : 220-240 V  
 Frequency : 50 Hz  
 Plug type : GB plug  
 Installation typology : Wall-mounted  
 Body material : Glass  
 Plug type : GB plug  
 Dimensions of the product, with chimney (if exists) (in) : x x  
 Dimensions of the packed product : 17.91 x 27.36 x 17.91  
 Net weight : 26.000 lbs  
 Gross weight : 32.000 lbs  
 Motor location : Integrated motor in hood body  
 No-return airflow flap : No  
 Length electrical supply cord : 150.0 cm  
 Dimensions of the product, with chimney (if exists) : x 590.0 x 319.0 mm  
 Dimensions of the packed product (HxWxD) : 455 x 695 x 455 mm  
 Net weight : 11.8 kg  
 Gross weight : 14.5 kg



**Series 2, wall-mounted cooker hood, 60 cm,  
clear glass black printed, Black  
DWK63PJ60M**

**The wall-mounted chimney hood: mount it  
on the wall, giving you complete freedom in  
your kitchen planning.**

---

**Variant:**

- DWK63PJ60M matt black
- Wall mounted hood
- Inclined design

**Design:**

- matt black with glass canopy
- Push button control
- Metal grease filter, dishwasher safe

**Technical information**

- 3 speeds
- Max. exhaust air flow rate according to EN 61591: 360 m<sup>3</sup>/h
- 2 x LED 5W
- Suitable for ducted or re-circulated extraction
- For recirculated extraction standard recirculation kit (accessory) needed

**Comfort:**


- Noise min./max. Normal Level: 54/64 dB
- Light Intensity: 1400 lux
- Colour Temperature: 3000 K

**Measures:**

- 59 cm wide
- Dimensions exhaust air (HxWxD): 740 mm - 1115 mm x 590 mm x 319 mm
- Dimensions recirculating installation (HxWxD): 740 mm - 1015 mm x 590 mm x 319 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)


**Series 2, wall-mounted cooker hood, 60 cm,  
clear glass black printed, Black  
DWK63PJ60M**

Measurements in mm




**A:** Air outlet – slots for exhaust air to be mounted facing down

Measurements in mm



Measurements in mm



**A:** Electric

**B:** Gas - from upper edge of pan support

**C:** Electric - for Australia and New Zealand