


**Series 4, Gas hob, 60 cm, Tempered glass, Black  
POP6C6P30M**



**Included accessories**

1 x cross support for espresso

**The gas hob with Side mounted controls:  
the desired cooking zones can be  
conveniently operated.**

- Four powerful gas burners allows you to cook multiple dishes with a full range BTU performance.
- Easily removable knobs allow for thorough cleaning of the hob.
- **Safety gas cut-off:** ensures safety by instantly cutting off gas supply if the flame goes out.
- **Single steel pan supports:** lightweight, easy to handle, clean, and stylish.

**Technical Data**

Product name/family : gas hob w integrated controls

Built-in / Free-standing : Built-in

Energy input : Gas

Total number of positions that can be used at the same time :  
4

Required niche size for installation (HxWxD) : 45 x 560-562 x  
480-490 mm

Width of the appliance : 590 mm

Dimensions : 56x590x520 mm

Dimensions of the packed product (HxWxD) : 145 x 570 x 615  
mm

Net weight : 10.6 kg

Gross weight : 11.5 kg

Residual heat indicator : Without

Location of control panel : Lateral

Basic surface material : Tempered glass

Color of surface : Black

Length electrical supply cord : 150.0 cm

Knob Material : Plastic

Sealed Burners : No

Power of heating element (kW) : 3 kW

Power of 3rd heating element (kW) : 1.75 kW

Power of 5th heating element (kW) : 1.75 kW

Connection Rating : 1 W

Gas connection rating : 7500 W

Fuse protection : 3 A

Voltage : 220-240 V

Frequency : 50; 60 Hz

Energy input : Gas

Gas type preset : Liquidgas G30,31 28-30/37 mbar

Certified gas types : Nat gas H/E/(L) 20 (25) mbar

Plug type : GB plug

Appliance Dimensions (h x w x d) (in) : x x

Dimensions of the packed product : 5.70 x 24.21 x 22.44

Net weight : 23.000 lbs

Gross weight : 25.000 lbs



4 242005 463732

## **Series 4, Gas hob, 60 cm, Tempered glass, Black POP6C6P30M**

**The gas hob with Side mounted controls:  
the desired cooking zones can be  
conveniently operated.**

---

- POP6C6P30M
- Gas hob with integrated controls, 60 cm

### **Design**

- Tempered glass hob surface, black
- Steel single pan supports
- Removable knob, Cylindrical knobs

### **Usage convenience**

- Automatic ignition: just push and turn the knob to ignite the flame.

### **Burners and power**

- 4 Gas burners
- Left front: Rapid burner up to 3 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Standard burner up to 1.75 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

### **Safety**

- Safety gas cut-off: prevents unwanted gas flow when flame goes out.


### **Installation (gas types & measurements)**

- Preset nozzle: Liquid gas (28-30/37mbar)
- Nozzle set for Preset nozzle: Liquid gas (28-30/37mbar). Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 56 x 590 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 490)
- Min. worktop thickness: 30 mm
- Power cord 1.5 m with UK plug: plug and play, no electrician required for installation.
- Connected load: 7.5 KW

### **Accessories**

- Espresso cross included

**Series 4, Gas hob, 60 cm, Tempered glass,  
Black  
POP6C6P30M**



**A:** Min. distance from the hob cut-out to the wall

**B:** Position of gas connection in the cut-out

**C:** With fitted oven underneath possibly more; see space requirements for the oven